## Amended Claims (Attorney Docket No. 5029C2)

- 1. (Cancelled).
- 2. (Cancelled).
- 3. (Cancelled).
- 4. (Cancelled).
- 5. (Cancelled).
- 6. (Cancelled).
- 7. (Cancelled).
- 8. (Cancelled).
- 9. (Cancelled).
- 10. (Cancelled).
- 11. (Cancelled).
- 12. (Currently amended) A compound useful in the preparation of compounds of Formula 1 of the formula

OH O 
$$X - (CH_2)_n - [Ar^2]_p - [Y]_p - R^4$$

$$R - Ar^1 - CH - CH_2 - NR^3 - (CH_2)_{m-1} - O$$

Formula III/Compound 34

## wherein

- R is hydrogen, hydroxy, oxo, halo,  $C_1$ - $C_{10}$ haloalkyl,  $C_1$ - $C_{10}$  alkyl, cyano, nitro, NR R , SR , OR , SO<sub>2</sub>R , OCOR , NR COR , COR , NR SO<sub>2</sub>R , NR CO<sub>2</sub>R , pyrrole, or Ar , optionally substituted with hydroxy, halogen, cyano, NR R , SR , trifluoromethyl, OR ,  $C^3$ - $C^8$  cycloaklyl, phenyl, NR COR , COR , SO<sub>2</sub>R , OCOR , NR SO<sub>2</sub>R , or NR CO<sub>2</sub>R ;
- R is hydrogen, C<sub>1</sub>-C<sub>10</sub> alkyl optionally substituted with 1 to 4 substituents selected from hydroxy, halogen, CO<sub>2</sub>H, CO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub> alkyl, SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub> alkyl, C<sub>1</sub>-C<sub>10</sub> alkoxy; or C<sub>3</sub>-C<sub>8</sub> cycloalkyl, phenyl or naphthyl, each optionally substituted with 1 to 4 substituents selected from halogen, nitro, oxo, C<sub>1</sub>-C<sub>10</sub> alkyl, C<sub>1</sub>-C<sub>10</sub> alkoxy, and C<sub>1</sub>-C<sub>10</sub> alkylthio;

$$R^{2}$$
 is  $R^{1}$  or  $NR^{1}$   $R^{1}$ ;

HO

R

is hydrogen,  $C_{1}$ - $C_{10}$  alkyl or  $R$ - $Ar^{1}$ - $CH$ - $CH_{2}$ - $R^{1}$ ;

Ar is Ar -O-CH<sub>2</sub>, phenyl, or a 5 or 6 membered heterocyclic ring with from 1 to 4 heteroatoms selected from O, S and N, each moiety being optionally fused to a 5 membered heterocyclic ring containing from 1 to 4 hetero atoms selected from O, S, and N, the fused heterocyclic ring being optionally fused to a phenyl ring or substituted with oxo;

m is 1, 2 or 3;

(CH<sub>2</sub>)<sub>m</sub> may be optionally replaced with C-O-(CH<sub>2</sub>)<sub>m</sub>;

· X is SO<sub>2</sub>-piperizinyl, NR --SO<sub>2</sub>, or SO<sub>2</sub>—NR;

n is 0, 1, 2, 3, or 4;

- Ar is phenyl, or a 5 or 6 membered heterocyclic ring with from 1 to 4 heteroatoms selected from O, S and N, each moiety being optionally substituted with halogen, C<sub>1</sub>-C<sub>10</sub>alkyl, C<sub>1</sub>-C<sub>10</sub> alkoxy, and OR, or being fused to a 5 membered heterocyclic ring containing from 1 to 4 hetero atoms selected from O, S, and N, the fused heterocyclic ring being optionally fused to a phenyl ring or optionally substituted with oxo;
- Y is O Y, NR , NR CO, C<sub>3</sub>-C<sub>8</sub> cycloalkyl or a 5 or 6 membered heterocyclic ring with from 1 to 4 heteroatoms selected from O, S and N, each of which is optionally substituted with oxo;

p is 0 or 1;

- $R^4$  is hydrogen,  $R^1$ ,  $R^2$ , oxo,  $C_1$ - $C_{10}$  heteroalkyl,  $C_1$ - $C_{10}$ alkyl,  $C_1$ - $C_{10}$ haloalkyl, each being optionally substituted with C3-C8 cycloalkyl, phenyl, naphthyl, benzofuran, carbazole, dibenzothiofuran, or a 5 or 6 membered heterocyclic ring with from 1 to 4 heteroatoms selected from O, S, and N, each ring structure being optionally substituted with halo and  $C_1$ - $C_{10}$  alkyl.
- 13. (Original) A compound of claim 12 wherein Ar<sup>1</sup> is optionally substituted phenyl or pyridyl, X is NR<sup>3</sup>-SO<sub>2</sub> or SO<sub>2</sub>-NR<sup>3</sup>, Ar<sup>2</sup> is phenyl, pyridyl pyrimidinyl or pyrrolyl, Y is optionally substituted

pyridyl, pyrrolyl, pyrimidinyl, quinolinyl, imadazolyl, and dihydrohenzofuranyl, and  $R^4$  is  $R^1$  or optionally substituted  $C_1$ - $C_{10}$  alkyl.

- 14. (Original) A compound of claim 13 wherein m is one and n is zero or one.
- 15. (Original) A compound of Claim 14 wherein R³ is hydrogen and R⁴ is C₁-C₁₀ alkyl optionally substituted with optionally substituted C₃-C₀ cycloalkyl, phenyl, or pyridyl.
- 16. (Original) A compound of claim 15 wherein R is hydrogen, halo, C<sub>1</sub>-C<sub>10</sub> alkyl, nitro or NR<sup>1</sup>R<sup>1</sup>, n is zero, X is attached to the chroman moiety in the 6 position, n is zero, Ar<sup>2</sup> is phenyl or pyridyl, and Y is optionally substituted pyridyl or pyrrolyl.
- 17. (Cancelled).
- 18. (Cancelled).
- 19. (Cancelled).
- 20. (Cancelled).
- 21. (Cancelled).
- 22. (Cancelled).
- 23. (Cancelled).
- 24. (Cancelled).